

[Web](#) [Images](#) [Videos](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more ▼](#)
[Web History](#) | [Search settings](#) | [Sign in](#)


About 42,700 results (0.24 seconds)

[Advanced search](#)**Everything**

More

[Show search tools](#)[\[PDF\] Article Template](#)

File Format: PDF/Adobe Acrobat - Quick View

by L Gotloib - 2009 - Related articles

or three-chambered bags, **keeping** the **glucose** at a low pH. The result is a reduced presence but neal **dialysis** with **solutions** low in **glucose** degrada- ...

www.advancesinpd.com/adv09/102-Gotloib-Final.pdf
[The conventional glucose-based solutions commonly](#)

by B Rippe - 1997 - Cited by 43 - Related articles

formation of **glucose** degradation products is to **separate** the **glucose** from the rest the order to **keep** toxic **glucose** degradation products at a low to a conventional peritoneal **dialysis solution** for different time periods. ...

www.pdiconnect.com/cgi/reprint/17/1/27.pdf
[The un-physiology of peritoneal dialysis solution and the ...](#)

by G La Greca - 2001 - Related articles

It seems to be important to **keep** in mind that different GDPs as well as different new PD **solutions** do not completely solve the problem of **glucose** ...

ndt.oxfordjournals.org/cgi/content/full/16/5/905 - Similar
[Glucose degradation products in peritoneal dialysis: from bench to ...](#)

by A Jörres - 2003 - Cited by 8 - Related articles

By **keeping** the **glucose** in a **separate** compartment at very low pH, the generation GDPs ... **Dialysis Solutions***; **Glucose**/adverse effects; **Glucose**/chemistry* ...

www.ncbi.nlm.nih.gov/pubmed/12771536
[Histidine buffered peritoneal dialysis solution - Patent # 5092838 ...](#)

A peritoneal **dialysis solution** buffered with L-histidine to a pH of at least 6.5. ... a **s** solution proportioned to be mixed with the **glucose** solution ...

www.patentgenius.com/patent/5092838.html - Cached
[Extraneal \(Icodextrin Peritoneal Dialysis Solution\) Drug ...](#)

Apr 30, 2009 ... Only use **glucose**-specific monitors and test strips to measure A other **dialysis solutions**, blood concentrations of **Keep** a list of them and show y doctor and pharmacist when you get a new medicine. ...

www.rxlist.com/extraneal-drug.htm - Cached - Similar
[Nolph and Gokal's Textbook of Peritoneal Dialysis - Google Books Re](#)

Ramesh Khanna, Raymond T. Krediet - 2003 - Medical - 934 pages

Nevertheless, the absorption rate of amino acids is not significantly faster than that c **glucose**. Since, at the fresh **dialysis solution** pH, ...

books.google.com/books?isbn=0387789391...
[\[PDF\] Extraneal \(Icodextrin\) Peritoneal Dialysis Solution Dangerous Dr](#)

File Format: PDF/Adobe Acrobat - Quick View

Extraneal (Icodextrin) Peritoneal **Dialysis Solution**. Blood **glucose** monitoring t list of them and show your doctor and pharmacist when you get a ...

www.accessdata.fda.gov/drugsatfda_docs/label/.../021321s0171bl.pdf - Similar

THE INFLUENCE OF GLUCOSE ON THE DIALYSIS OF SUCROSE THROUGH A ...

by LA Congdon - 1921

in the original **solutions**. In mixtures of **glucose** and sucrose, the influence of **gluco** the **dialysis** of sucrose is of such a character as to **keep** the ...

pubs.acs.org/doi/abs/10.1021/ja01445a015 - Similar

Stability of moxifloxacin injection in peritoneal dialysis ...

by E Fernández-Varón - 2006 - Cited by 1 - Related articles

Methods: **Dialysis solution** bags were used at two **glucose** concentrations; Dianeal 1Æ36%Ö and. Dianeal PD1 3Æ86%Ö. Moxifloxacin ... Samples were stored in **sep**: tubes and stored ... it seems better to **keep** the antibiotic solutions ...

www3.interscience.wiley.com/journal/118602490/articletext?DOI=10...

1 2 3 4 5 6 7 8 9 10

Next

dialysis solution, keeping glucose

Search

[Search within results](#)

[Search Help](#)

[Give us feedback](#)

[Google Home](#)

[Advertising Programs](#)

[Business Solutions](#)

[Privacy](#)

[About](#)

[Web](#) [Images](#) [Videos](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more ▼](#)
[Web History](#) | [Search settings](#) | [Sign in](#)


About 12,600 results (0.20 seconds)

[Advanced search](#)**Everything**[More](#)**All results**[Fewer shopping sites](#)[More shopping sites](#)[More search tools](#)**DIALYSIS SOLUTIONS CONTAINING PYROPHOSPHATES - Patent application**

The **dialysis solution** of claim 1, wherein the **osmotic agent** is selected from the ... sterilizing and over extended periods of time (e.g. during **storage**). For example, dialysis parts can be stored in **separate chambers** of a ...
[www.faqs.org/patents/app/20090098215](#) - [Cached](#) - [Similar](#)

Biocompatible Peritoneal Dialysis Solutions: Do We Have One ...by K Chaudhary - 2010 - [Related articles](#)

Biocompatible Peritoneal **Dialysis Solutions**: Do We Have One? ... to be in using combinations of different **osmotic agents** in a more biocompatible solution, ...
[cjasn.asnjournals.org/cgi/content/abstract/5/4/723](#)

Replacement of renal function by dialysis: a textbook of dialysis - Go Books Result

John Francis Maher - 1989 - Medical - 1188 pages

In the 1940s it was realised that the most suitable **dialysis solutions** should ... No t breakdown product from chemicals or **osmotic agent** on **storage**. 5. ...
[books.google.com/books?isbn=0898384141...](#)

Kidney International - Heat sterilization of peritoneal dialysis ...by ZH Zheng - 2002 - Cited by 7 - [Related articles](#)

... in peritoneal **dialysis** fluids during heat sterilization and **storage** and contribute to However, the possible **separate** effects of glucose in PD **solution** on Glucose is most commonly used **osmotic agent** in PD **solutions** ... be achieved in a two-**cham** bag, 3-DG concentration was reduced to 42 mu ...

[www.nature.com](#) › [Journal home](#) › [Archive](#) › [Dialysis – Transplantation](#)**Kidney International - Update on peritoneal dialysis solutions**by CW McIntyre - 2007 - Cited by 22 - [Related articles](#)

Multibag systems **separate** out the buffer (either lactate or bicarbonate/lactate mi and minimizes degradation during protracted **storage**.8 It also prevents ... The se group consist of alternatives to glucose as an **osmotic agent**. **solutions** with l glucose degradation products in a two-**chamber** system. ...

[www.nature.com/ki/journal/vaop/ncurrent/full/5002109a.html](#)[Show more results from www.nature.com](#)**[PDF] Article Template**File Format: PDF/Adobe Acrobat - [Quick View](#)by L Gotloib - 2009 - [Related articles](#)

The chemical composition of **dialysis solutions** has been a matter of controversy si the ... design of dual- or three-**chambered** bags to minimize the formation of glucose compartment solution. The new **osmotic agents**. ICODextrin ...

[www.advancesinpd.com/adv09/102-Gotloib-Final.pdf](#)**THE EFFECTS OF A DIALYSIS SOLUTION WITH A COMBINATION GLYCEROL ...**

by M de Graaff - 2010 - Cited by 1 - Related articles

Objectives: To investigate the effects of long-term exposure to a bicarbonate/lactate-buffered **dialysis solution** with a mixture of **osmotic agents**: glycerol ...

www.pdiconnect.com/cgi/content/abstract/30/2/192

EVALUATION OF TAURINE AS AN OSMOTIC AGENT FOR PERITONEAL DIALYSIS ...

by H Nishimura - 2009 - Cited by 2 - Related articles

Of note, double **chambered**, neutral-pH PD **solutions** that have recently been addition, after 1 month of **storage** of the PD-aurine **solution** at 60°C and 30% ...

Osmotic Agent Transport: The amount of glucose in the **dialysate** ...

www.pdiconnect.com/cgi/content/full/29/2/204

Show more results from www.pdiconnect.com

Sodium bicarbonate containing precipitate-free dialysis solutions ...

c) a second of said **chambers** filled with said **solution** of other ions, Since at least first **chamber** 12 should not lose substantial amounts of CO₂ during **storage** (not .. other hand, it is also possible to employ **separate** vessels, i.e., ... The amounts of electrolyte, that is to say, **osmotic agents**, ...

www.freepatentsonline.com/5211643.html - Cached - Similar

Stability of Cefepime in Icodextrin Peritoneal Dialysis Solution ...

by RJ Elwell - 2004 - Cited by 3 - Related articles

... used as an alternative **osmotic agent** in peritoneal **dialysis** (PD) **solutions**.

Throughout the study, actual temperatures for each **storage** condition ...

www.theannals.com/cgi/content/full/38/12/2041 - Similar

1 2 3 4 5 6 7 8 9 10

[Next](#)

dialysis solution, store osmotic ag Search

[Search within results](#) [Search Help](#)
[Give us feedback](#)

[Google Home](#)

[Advertising Programs](#)

[Business Solutions](#)

[Privacy](#)

[About](#)